



TOSHIBA AV703 SERIES SPECIFICATIONS



TOSHIBA
Leading Innovation >>>

www.toshiba-europe.com

* Dynamic Contrast specifications are defined by Toshiba's standard which is based on measured results.

** Specification correct at time of publication. Specification subject to change. Please check specification with retailer prior to purchase

Product design and specification subject to change or modification without notice. Specification correct at time of publication.

	19AV703	22AV703	26AV703	32AV703
Picture				
Diagonal Screen Size (cm / inch)	48/19	56/22	66/26	81/32
Visible Area (H x V)	409.8 x 230.4	477.4 x 268.4	575.8 x 323.7	697.7 x 392.3
Screen Format	16:9	16:9	16:9	16:9
Panel Resolution	1366 x 768	1366 x 768	1366 x 768	1366 x 768
Brightness (cd/m ²)	300	400	450	450
*Dynamic Contrast Ratio	10000	10000	30000	30000
**Response Time (G to G) (ms)	5	5	8,5	8
Viewing Angle (°)	170/160	170/160	176/176	178/178
CCFL	YES	YES	YES	YES
High Definition Ready	YES	YES	YES	YES
Active Vision	YES	YES	YES	YES
50Hz Processing	YES	YES	YES	YES
Digital Noise Reduction	YES	YES	YES	YES
3D Digital Comb Filter	YES	YES	YES	YES
Auto Backlight Control	YES	YES	YES	YES
3D Colour Management	YES	YES	YES	YES
Colour Temperature selectable	YES	YES	YES	YES
Manual picture size select	YES	YES	YES	YES
Exact Scan Mode	YES	YES	YES	YES
Picture Mode	YES	YES	YES	YES
USB (JPEG)	YES	YES	YES	YES
USB (MP3)	YES	YES	YES	YES

Audio				
NICAM Stereo	YES	YES	YES	YES
Bass Boost	YES	YES	YES	YES
Sound Output (RMS) W	3W + 3W	3W + 3W	5W + 5W	10W + 10W

Tuner				
Analogue	YES	YES	YES	YES
DVB-T	-	-	-	-
DVB-T2	-	-	-	-
***DVB-C/DVB-C HD	-	-	-	-
***DVB-S / DVB-S2 (HD)	-	-	-	-
***H.264	-	-	-	-
CI+	-	-	-	-
NTSC Video-Playback	YES	YES	YES	YES
Auto Set-up	YES	YES	YES	YES

Other Features				
Audio Description (UK only)	YES	YES	YES	YES
Freeze Screen	YES	YES	YES	YES
Timer	YES	YES	YES	YES
Panel Lock	YES	YES	YES	YES
Integrated Signal Amplifier	YES	YES	YES	YES
Auto Format	YES	YES	YES	YES
4:3 stretch	YES	YES	YES	YES
No Signal Off	YES	YES	YES	YES
Remote Control	CT-90326	CT-90326	CT-90326	CT-90326
Hotel Mode	YES	YES	YES	YES
Clone Mode	YES	YES	YES	YES

Connections				
HDMI™	2	2	2	2
REGZA-Link (HDMI-CEC)	-	-	-	-
Component Video	YES	YES	YES	YES
Composite Video	YES	YES	YES	YES
SCART	1	1	2	2
Analog audio (Cinch) Audio (mini jack)	YES	YES	YES	YES
PC Input	YES	YES	YES	YES
USB	YES	YES	YES	YES
Headphone	YES	YES	YES	YES

Power Consumption				
Line Voltage	220-	220-	220-	220-
	240V/50/60Hz	240V/50/60Hz	240V/50/60Hz	240V/50/60Hz
Power Consumption EN62087 - Typical (W)	23,4	35	51,2	59,5
Power Consumption - Stand-by (W)	0,9	0,9	0,9	0,9

Weights and Dimensions				
Width (mm)	480	555	665	798
Height without Ped.Stand (mm)	316,8	358,5	429	516
Height with Ped.Stand (mm)	358	400	470	564
Depth without Ped.Stand (mm)	66	67	95	88
Depth with Ped.Stand (mm)	188	195	192	233
Weight without Ped.Stand (kg)	4,7	5,5	7,87	11
Weight with Ped.Stand (kg)	5,5	6,5	9	12,5
Packed width (mm)	524	603	843	980
Packed depth (mm)	138	153	162	170
Packed height (mm)	461	507	542	635
Packed weight (kg)	7	9	12	16,5



TOSHIBA AV713 SERIES SPECIFICATIONS



TOSHIBA
Leading Innovation >>>

www.toshiba-europe.com

* Dynamic Contrast specifications are defined by Toshiba's standard which is based on measured results.

** Specification correct at time of publication. Specification subject to change. Please check specification with retailer prior to purchase

*** DVB-C/ DVB-S2 / H.264 tuners are capable of supporting the base standard for any country broadcasting H.264/ DVB-C / DVB-S and DVB-S2 signals. Full operation is dependant on Conditional Access (CA) systems and additional standards implemented in your country.

Product design and specification subject to change or modification without notice. Specification correct at time of publication.

	19AV713	22AV713	26AV713	32AV713
Picture				
Diagonal Screen Size (cm / inch)	48/19	56/22	66/26	81/32
Visible Area (H x V)	409.8 x 230.4	477.4 x 268.4	575.8 x 323.7	697.7 x 392.3
Screen Format	16:9	16:9	16:9	16:9
Panel Resolution	1366 x 768	1366 x 768	1366 x 768	1366 x 768
Brightness (cd/m ²)	250	300	450	450
*Dynamic Contrast Ratio	10000	10000	30000	12000
**Response Time (G to G) (ms)	5	5	8,5	8
Viewing Angle (°)	170/160	170/160	178/178	178/178
CCFL	YES	YES	YES	YES
High Definition Ready	YES	YES	YES	YES
Active Vision	YES	YES	YES	YES
50Hz Processing	YES	YES	YES	YES
Digital Noise Reduction	YES	YES	YES	YES
3D Digital Comb Filter	YES	YES	YES	YES
Auto Backlight Control	YES	YES	YES	YES
3D Colour Management	YES	YES	YES	YES
Colour Temperature selectable	YES	YES	YES	YES
Manual picture size select	YES	YES	YES	YES
Exact Scan Mode	YES	YES	YES	YES
Picture Mode	YES	YES	YES	YES
Picture (USB)	YES	YES	YES	YES
Audio (USB)	YES	YES	YES	YES

Audio				
NICAM Stereo	YES	YES	YES	YES
Bass Boost	YES	YES	YES	YES
Sound Output (RMS) W	3W + 3W	3W + 3W	5W + 5W	10W + 10W

Tuner				
Analogue	YES	YES	YES	YES
DVB-T	YES	YES	YES	YES
DVB-T2	-	-	-	-
***DVB-C/ DVB-C HD	-	-	-	-
***DVB-S / DVB-S2 (HD)	-	-	-	-
***H.264	-	-	-	-
CI+	-	-	-	-
NTSC Video-Playback	YES	YES	YES	YES
Auto Set-up	YES	YES	YES	YES

Digital Features				
Digital Text	YES	YES	YES	YES
Text Page Memory	100	100	100	100
Electronic Programme Guide 8 Day	YES	YES	YES	YES
Now and Next Information	YES	YES	YES	YES
Favourite Channel Memory	-	-	-	-

Other Features				
Audio Description (UK only)	YES	YES	YES	YES
Freeze Screen	YES	YES	YES	YES
Timer	YES	YES	YES	YES
Panel Lock	YES	YES	YES	YES
Integrated Signal Amplifier	YES	YES	YES	YES
Auto Format	YES	YES	YES	YES
4:3 stretch	YES	YES	YES	YES
No Signal Off	YES	YES	YES	YES
Remote Control	CT-90326	CT-90326	CT-90326	CT-90326
Hotel Mode	YES	YES	YES	YES
Clone Mode	YES	YES	YES	YES

Connections				
HDMI™	2	2	2	2
REGZA-Link (HDMI-CEC)	YES	YES	YES	YES
Component Video	YES	YES	YES	YES
Composite Video	YES	YES	YES	YES
SCART	1	1	2	2
Analog audio (Cinch) Audio (mini jack)	YES	YES	YES	YES
PC Input	YES	YES	YES	YES
USB	YES	YES	YES	YES
Headphone	YES	YES	YES	YES

Power Consumption				
Line Voltage	220-	220-	220-	220-
	240V/50/60Hz	240V/50/60Hz	240V/50/60Hz	240V/50/60Hz
Power Consumption EN62087 - Typical (W)	40	55	90	105
Power Consumption - Stand-by (W)	0,5	0,5	0,5	0,5

Weights and Dimentions				
Width (mm)	480	555	666	799
Height without Ped.Stand (mm)	321,8	364,7	429	524
Height with Ped.Stand (mm)	365,8	408,7	474,6	578,15
Depth without Ped.Stand (mm)	71	71,5	93,5	95
Depth with Ped.Stand (mm)	192,8	212	265,2	271,36
Weight without Ped.Stand (kg)	4,43	4,86	7,7	10,7
Weight with Ped.Stand (kg)	5	5,5	9	12,5
Packed width (mm)	530	603	782	930
Packed depth (mm)	142	158	170	198
Packed height (mm)	485	550	590	685
Packed weight (kg)	7,5	8,5	12	16,5



TOSHIBA AV733 SERIES SPECIFICATIONS



TOSHIBA
Leading Innovation >>>

www.toshiba-europe.com

* Dynamic Contrast specifications are defined by Toshiba's standard which is based on measured results.

** Specification correct at time of publication. Specification subject to change. Please check specification with retailer prior to purchase

*** DVB-C/ DVB-S2 / H.264 tuners are capable of supporting the base standard for any country broadcasting H.264/ DVB-C / DVB-S and DVB-S2 signals. Full operation is dependant on Conditional Access (CA) systems and additional standards implemented in your country.

Product design and specification subject to change or modification without notice. Specification correct at time of publication.

	19AV733	22AV733	26AV733	32AV733
Picture				
Diagonal Screen Size (cm / inch)	48/19	56/22	66/26	81/32
Visible Area (H x V)	409.8 x 230.4	477.4 x 268.4	575.8 x 323.7	697.7 x 392.3
Screen Format	16:9	16:9	16:9	16:9
Panel Resolution	1366 x 768	1366 x 768	1366 x 768	1366 x 768
Brightness (cd/m ²)	250	300	450	450
*Dynamic Contrast Ratio	10000	10000	30000	12000
**Response Time (G to G) (ms)	5	5	8,5	8
Viewing Angle (°)	170/160	170/160	178/178	178/178
CCFL	YES	YES	YES	YES
High Definition Ready	YES	YES	YES	YES
Active Vision	YES	YES	YES	YES
50Hz Processing	YES	YES	YES	YES
Digital Noise Reduction	YES	YES	YES	YES
3D Digital Comb Filter	YES	YES	YES	YES
Auto Backlight Control	YES	YES	YES	YES
3D Colour Management	YES	YES	YES	YES
Colour Temperature selectable	YES	YES	YES	YES
Manual picture size select	YES	YES	YES	YES
Exact Scan Mode	YES	YES	YES	YES
Picture Mode	YES	YES	YES	YES
Picture (USB)	YES	YES	YES	YES
Audio (USB)	YES	YES	YES	YES
Audio				
NICAM Stereo	YES	YES	YES	YES
Bass Boost	YES	YES	YES	YES
Sound Output (RMS) W	3W + 3W	3W + 3W	5W + 5W	10W + 10W
Tuner				
Analogue	YES	YES	YES	YES
DVB-T	YES	YES	YES	YES
DVB-T2	-	-	-	-
***DVB-C/ DVB-C HD	YES	YES	YES	YES
***DVB-S / DVB-S2 (HD)	-	-	-	-
***H.264	YES	YES	YES	YES
CI+	-	-	-	-
NTSC Video-Playback	YES	YES	YES	YES
Auto Set-up	YES	YES	YES	YES
Digital Features				
Digital Text	YES	YES	YES	YES
Text Page Memory	100	100	100	100
Electronic Programme Guide 8 Day	YES	YES	YES	YES
Now and Next Information	YES	YES	YES	YES
Favourite Channel Memory	-	-	-	-
Other Features				
Audio Description (UK only)	YES	YES	YES	YES
Freeze Screen	YES	YES	YES	YES
Timer	YES	YES	YES	YES
Panel Lock	YES	YES	YES	YES
Integrated Signal Amplifier	YES	YES	YES	YES
Auto Format	YES	YES	YES	YES
4:3 stretch	YES	YES	YES	YES
No Signal Off	YES	YES	YES	YES
Remote Control	CT-90326	CT-90326	CT-90326	CT-90326
Hotel Mode	YES	YES	YES	YES
Clone Mode	YES	YES	YES	YES
Connections				
HDMI™	2	2	2	2
REGZA-Link (HDMI-CEC)	YES	YES	YES	YES
Component Video	YES	YES	YES	YES
Composite Video	YES	YES	YES	YES
SCART	1	1	2	2
Analog audio (Cinch) Audio (mini jack)	YES	YES	YES	YES
PC Input	YES	YES	YES	YES
USB	YES	YES	YES	YES
Headphone	YES	YES	YES	YES
Power Consumption				
Line Voltage	220- 240V/50/60Hz	220- 240V/50/60Hz	220- 240V/50/60Hz	220- 240V/50/60Hz
Power Consumption EN62087 - Typical (W)	40	55	90	105
Power Consumption - Stand-by (W)	0,5	0,5	0,5	0,5
Weights and Dimentions				
Width (mm)	480	555	666	799
Height without Ped.Stand (mm)	321,8	364,7	429	524
Height with Ped.Stand (mm)	365,8	408,7	474,6	578,15
Depth without Ped.Stand (mm)	71	71,5	93,5	95
Depth with Ped.Stand (mm)	192,8	212	265,2	271,36
Weight without Ped.Stand (kg)	4,43	4,86	7,7	10,7
Weight with Ped.Stand (kg)	5	5,5	9	12,5
Packed width (mm)	530	603	782	930
Packed depth (mm)	142	158	170	198
Packed height (mm)	485	550	590	685
Packed weight (kg)	7,5	8,5	12	16,5