



TOSHIBA LV703 SERIES SPECIFICATIONS



TOSHIBA
Leading Innovation >>>

www.toshiba-europe.com

* Dynamic Contrast specifications are defined by Toshiba's standard which is based on measured results.

** Specification correct at time of publication. Specification subject to change. Please check specification with retailer prior to purchase

Product design and specification subject to change or modification without notice. Specification correct at time of publication.

	32LV703	40LV703
Picture		
Diagonal Screen Size (cm / inch)	81/32	102/40
Visible Area (H x V)	698.4 x 392.9	885.6 x 498.2
Screen Format	16:9	16:9
Panel Resolution	1920 x 1080	1920 x 1080
Brightness (cd/m2)	450	450
*Dynamic Contrast Ratio	30000	45000
**Response Time (G to G) (ms)	8	8
Viewing Angle (°)	178/178	178/178
High Definition Ready 1080p	YES	YES
Active Vision	YES	YES
50Hz Processing	YES	YES
Digital Noise Reduction	YES	YES
3D Digital Comb Filter	YES	YES
Auto Backlight Control	YES	YES
3D Colour Management	YES	YES
Colour Temperature selectable	YES	YES
Manual picture size select	YES	YES
Exact Scan Mode	YES	YES
Picture Mode	YES	YES
USB (JPEG)	YES	YES
USB (MP3)	YES	YES
Audio		
NICAM Stereo	YES	YES
Bass Boost	YES	YES
Sound Output (RMS) W	10W + 10W	10W + 10W
Tuner		
Analogue	YES	YES
DVB-T	-	-
DVB-T2	-	-
***DVB-C/DVB-C HD	-	-
***DVB-S / DVB-S2 (HD)	-	-
***H.264	-	-
CI+	-	-
NTSC Video-Playback	YES	YES
Auto Set-up	YES	YES
Other Features		
Audio Description (UK only)	YES	YES
Freeze Screen	YES	YES
Timer	YES	YES
Panel Lock	YES	YES
Integrated Signal Amplifier	YES	YES
Auto Format	YES	YES
4:3 stretch	YES	YES
No Signal Off	YES	YES
Remote Control	CT-90326	CT-90326
Hotel Mode	YES	YES
Clone Mode	YES	YES
Connections		
HDMI™	3	3
REGZA-Link (HDMI-CEC)	-	-
INSTAPOINT™	-	-
Component Video	YES	YES
Composite Video	YES	YES
SCART	2	2
Analog audio (Cinch) Audio (mini jack)	YES	YES
PC Input	YES	YES
USB	YES	YES
DVB Common Interface (CI)	-	-
DVB Common Interface+ (CI+)	-	-
Digital Audio Out	-	-
Headphone	YES	YES
Power Consumption		
Line Voltage	220-240V/50/60Hz	220-240V/50/60Hz
Power Consumption EN62087 - Typical (W)	62,2	93,4
Power Consumption - Stand-by (W)	0,5	0,5
Dimensions		
Weights and Dimensions		
Width (mm)	798	989
Height without Ped.Stand (mm)	516	641
Height with Ped.Stand (mm)	564	706
Depth without Ped.Stand (mm)	88	88
Depth with Ped.Stand (mm)	233	276
Weight without Ped.Stand (kg)	11	16,84
Weight with Ped.Stand (kg)	12,5	19
Packed width (mm)	980	1234
Packed depth (mm)	170	188
Packed height (mm)	635	779
Packed weight (kg)	16,5	23,5



TOSHIBA LV713 SERIES SPECIFICATIONS



TOSHIBA
Leading Innovation >>>

www.toshiba-europe.com

* Dynamic Contrast specifications are defined by Toshiba's standard which is based on measured results.

** Specification correct at time of publication. Specification subject to change. Please check specification with retailer prior to purchase

*** DVB-C/ DVB-S2 / H.264 tuners are capable of supporting the base standard for any country broadcasting H.264/ DVB-C / DVB-S and DVB-S2 signals. Full operation is dependant on Conditional Access (CA) systems and additional standards implemented in your country.

Product design and specification subject to change or modification without notice. Specification correct at time of publication.

	32LV713	40LV713
Picture		
Diagonal Screen Size (cm / inch)	81/32	102/40
Visible Area (H x V)	698.4 x 392.9	885.6 x 498.2
Screen Format	16:9	16:9
Panel Resolution	1920 x 1080	1920 x 1080
Brightness (cd/m ²)	450	450
Dynamic Contrast Ratio*	50000	45000
**Response Time (G to G) (ms)	6,5	8
Viewing Angle (°)	178/178	178/178
High Definition Ready 1080p	YES	YES
Active Vision	YES	YES
50Hz Processing	YES	YES
Digital Noise Reduction	YES	YES
3D Digital Comb Filter	YES	YES
Auto Backlight Control	YES	YES
3D Colour Management	YES	YES
Colour Temperature selectable	YES	YES
Manual picture size select	YES	YES
Exact Scan Mode	YES	YES
Picture Mode	YES	YES
USB (JPEG)	YES	YES
USB (MP3)	YES	YES
Audio		
NICAM Stereo	YES	YES
Bass Boost	YES	YES
Sound Output (RMS) W	10W + 10W	10W + 10W
Tuner		
Analogue	YES	YES
DVB-T	YES	YES
DVB-T2	-	-
***DVB-C/DVB-C HD	-	-
***DVB-S / DVB-S2 (HD)	-	-
***H.264	-	-
CI+	-	-
NTSC Video-Playback	YES	YES
Auto Set-up	YES	YES
Digital Features		
Digital Text	YES	YES
Text Page Memory	100	100
Electronic Programme Guide 8 Day	YES	YES
Now and Next Information	YES	YES
Favourite Channel Memory	-	-
Other Features		
Audio Description (UK only)	YES	YES
Freeze Screen	YES	YES
Timer	YES	YES
Panel Lock	YES	YES
Integrated Signal Amplifier	YES	YES
Auto Format	YES	YES
4:3 stretch	YES	YES
No Signal Off	YES	YES
Remote Control	CT-90326	CT-90326
Hotel Mode	YES	YES
Clone Mode	YES	YES
Connections		
HDMI™	3	3
REGZA-Link (HDMI-CEC)	YES	YES
INSTAPORT™	-	-
Component Video	YES	YES
Composite Video	YES	YES
SCART	2	2
Analog audio (Cinch) Audio (mini jack)	YES	YES
PC Input	YES	YES
USB	YES	YES
DVB Common Interface (CI)	YES	YES
DVB Common Interface+ (CI+)	-	-
Digital Audio Out	-	-
Headphone	YES	YES
Power Consumption		
Line Voltage	220-240V/50/60Hz	220-240V/50/60Hz
Power Consumption EN62087 - Typical (W)	130	160
Power Consumption - Stand-by (W)	0,5	0,5
Dimensions		
Weights and Dimensions		
Width (mm)	799	993
Height without Ped.Stand (mm)	524	641,5
Height with Ped.Stand (mm)	578,15	703
Depth without Ped.Stand (mm)	95	100
Depth with Ped.Stand (mm)	271,36	282,9
Weight without Ped.Stand (kg)	10,7	14,5
Weight with Ped.Stand (kg)	12,5	16,5
Packed width (mm)	930	1110
Packed depth (mm)	198	225
Packed height (mm)	685	800
Packed weight (kg)	16,5	22



TOSHIBA LV733 SERIES SPECIFICATIONS



TOSHIBA
Leading Innovation >>>

www.toshiba-europe.com

* Dynamic Contrast specifications are defined by Toshiba's standard which is based on measured results.

** Specification correct at time of publication. Specification subject to change. Please check specification with retailer prior to purchase

*** DVB-C/ DVB-S2 / H.264 tuners are capable of supporting the base standard for any country broadcasting H.264/ DVB-C / DVB-S and DVB-S2 signals. Full operation is dependant on Conditional Access (CA) systems and additional standards implemented in your country.

Product design and specification subject to change or modification without notice. Specification correct at time of publication.

	32LV733	40LV733
Picture		
Diagonal Screen Size (cm / inch)	81/32	102/40
Visible Area (H x V)	698.4 x 392.9	885.6 x 498.2
Screen Format	16:9	16:9
Panel Resolution	1920 x 1080	1920 x 1080
Brightness (cd/m ²)	450	450
Dynamic Contrast Ratio*	50000	45000
**Response Time (G to G) (ms)	6,5	8
Viewing Angle (°)	178/178	178/178
High Definition Ready 1080p	YES	YES
Active Vision	YES	YES
50Hz Processing	YES	YES
Digital Noise Reduction	YES	YES
3D Digital Comb Filter	YES	YES
Auto Backlight Control	YES	YES
3D Colour Management	YES	YES
Colour Temperature selectable	YES	YES
Manual picture size select	YES	YES
Exact Scan Mode	YES	YES
Picture Mode	YES	YES
USB (JPEG)	YES	YES
USB (MP3)	YES	YES
Audio		
NICAM Stereo	YES	YES
Bass Boost	YES	YES
Sound Output (RMS) W	10W + 10W	10W + 10W
Tuner		
Analogue	YES	YES
DVB-T	YES	YES
DVB-T2	-	-
***DVB-C/DVB-C HD	YES	YES
***DVB-S / DVB-S2 (HD)	-	-
***H.264	YES	YES
CI+	-	-
NTSC Video-Playback	YES	YES
Auto Set-up	YES	YES
Digital Features		
Digital Text	YES	YES
Text Page Memory	100	100
Electronic Programme Guide 8 Day	YES	YES
Now and Next Information	YES	YES
Favourite Channel Memory	-	-
Other Features		
Audio Description (UK only)	YES	YES
Freeze Screen	YES	YES
Timer	YES	YES
Panel Lock	YES	YES
Integrated Signal Amplifier	YES	YES
Auto Format	YES	YES
4:3 stretch	YES	YES
No Signal Off	YES	YES
Remote Control	CT-90326	CT-90326
Hotel Mode	YES	YES
Clone Mode	YES	YES
Connections		
HDMI™	3	3
REGZA-Link (HDMI-CEC)	YES	YES
INSTAPORT™	-	-
Component Video	YES	YES
Composite Video	YES	YES
SCART	2	2
Analog audio (Cinch) Audio (mini jack)	YES	YES
PC Input	YES	YES
USB	YES	YES
DVB Common Interface (CI)	YES	YES
DVB Common Interface+ (CI+)	-	-
Digital Audio Out	-	-
Headphone	YES	YES
Power Consumption		
Line Voltage	220-240V/50/60Hz	220-240V/50/60Hz
Power Consumption EN62087 - Typical (W)	130	160
Power Consumption - Stand-by (W)	0,5	0,5
Dimensions		
Weights and Dimensions		
Width (mm)	799	993
Height without Ped.Stand (mm)	524	641,5
Height with Ped.Stand (mm)	578,15	703
Depth without Ped.Stand (mm)	95	100
Depth with Ped.Stand (mm)	271,36	282,9
Weight without Ped.Stand (kg)	10,7	14,5
Weight with Ped.Stand (kg)	12,5	16,5
Packed width (mm)	930	1110
Packed depth (mm)	198	225
Packed height (mm)	685	800
Packed weight (kg)	16,5	22