

DEVELOP

Dynamic balance

www.develop.eu



ineo 958

- > Black & white
SRA3+ digital press
- > Up to 95 ppm

Features that make all the difference!

Competitive prices and a good product mix are essential factors for being successful in today's markets. In the print industry, this means a combination of a wide range of products, reliable technology and cost-effective calculation. The ineo 958 is the answer to these challenges, offering a good mix of features, technologies and investment to drive a successful printing business.

Durable performance

- Up to 95 A4 pages per minute
- Enhanced overall scanning performance for scanning and copying
- For higher productivity
- For more jobs in the print room

Highest reliability

- Long-lasting parts and consumables
- Auto Refining Developer System (ARDS)
- For prints with maximum efficiency
- For lucrative short-run printing

Ready-made print products

- 20-sheet booklet making
- 100-sheet stapling
- For highest automation and enormous productivity
- For more profit in the print room



Geared-up finishing

- Letter fold-in
- Stacking up to 3,000 sheets
- Optional 2- & 4-hole punching
- Minimised human interaction
- For optimised budgets


Environmental awareness

- Low power consumption
- Contains recycled plastic and bioplastic
- For reduced environmental impact
- Improved efficiency based on green values



High-end print control

- Proprietary controller
- For intuitive operation
- Saves time and money



Ease of use

- Innovative 9-inch capacitive colour touch screen panel
- Pop-up windows open for all function settings
- Seamless integration into document workflows
- For maximum ease of operation
- Frees operators for more important jobs

Sophisticated media handling

- Up to 6,650 sheets paper input capacity
- Up to 6 paper input trays
- For enhanced overall productivity
- For extreme cost savings

Comprehensive media processing

- Up to 300 g/m² paper weight in simplex printing
- Up to 256 g/m² paper weight in duplex printing
- Banner printing support
- For highly flexible print products
- Stands out from the competition

Perfect image quality

- True 1,200 x 1,200 dpi resolution
- HD toner technology
- For new print applications
- For growing businesses



SYSTEM SPECIFICATIONS

| | |
|---|--|
| Resolution | 1,800 x 600 dpi 1,200 x 1,200 dpi |
| Paper weight | 40–300 g/m ² |
| Duplex unit | Non-stack type; 64–256 g/m ² |
| Paper sizes | A6–SRA3; customised paper sizes; banner paper max. 1,200 x 297 mm |
| Maximum image area | 307 x 437 mm (SRA3); 302 x 448 mm (A3+) |
| Paper input capacity | Standard: 3,650 sheets max.: 6,650 sheets |
| Paper output capacity | max.: 3,200 sheets |
| Main unit dimensions (W x D x H) | 670 x 820 x 1,232 mm |
| Main unit weight | 200 kg |

PRODUCTIVITY

| | |
|----------------|--------|
| A4 mono | 95 ppm |
| A3 mono | 48 ppm |

CONTROLLER

Embedded ineo Controller

SCANNER SPECIFICATIONS

| | |
|------------------------|--|
| Scan speed A4 | Up to 240 ipm; one pass duplex scanning |
| Scan resolution | 600 x 600 dpi |
| Scan modes | Scan-to-E-mail (Scan-to-Me); Scan-to-SMB (Scan-to-Home); Scan-to-FTP; Scan-to-Box; Scan-to-USB; Scan-to-WebDAV; Scan-to-DPWS; Network TWAIN scan |
| Scan formats | JPEG; TIFF; PDF; PDF/A 1a and 1b (optional); compact PDF; encrypted PDF; searchable PDF (optional); XPS; compact XPS; PPTX; searchable PPTX (optional); searchable DOCX/XLSX (optional) |

COPIER SPECIFICATIONS

| | |
|------------------------|------------------------|
| Gradations | 256 gradations |
| FCOT | 3.1 sec. |
| Magnification | 25–400%; in 0.1% steps |
| Multiple copies | 1–9,999 |

ACCESSORIES

| | |
|--|------------|
| Large capacity tray A4 | LU-303 |
| Large capacity tray SRA3 | LU-205 |
| Staple finisher | FS-536 |
| Punch kit for FS-536 | PK-520 |
| Booklet finisher | FS-536SD |
| Staple finisher | FS-537 |
| Punch kit for FS-537 | PK-521 |
| Booklet finisher | FS-537SD |
| Post inserter for FS-537 | PI-507 |
| Job separator for FS-537 | JS-602 |
| Z-fold unit for FS-537 | ZU-609 |
| Output tray | OT-508 |
| Key pad | KP-101 |
| Working table | WT-506 |
| Upright panel | WT-513 |
| Fax board | FK-516 |
| Keyboard holder | KH-102 |
| USB keyboard connection | EK-610 |
| USB keyboard connection, Bluetooth | EK-611 |
| Biometric authentication | AU-102 |
| Security kit | SC-508 |
| Double feed detection kit | UK-501 |
| Wireless LAN AP | UK-212 |
| Trusted Platform Module (TPM) | LK-115v2 |
| Mount kit for ID card reader | MK-735 |
| Banner tray | BT-C1e |
| HDD Mirroring | HD-524 |
| i-Option licence PDF/A, PDF encryption, digital signature | LK-102v3 |
| i-Option licence searchable PDF and PPTX | LK-105v3 |
| i-Option licence printing barcode fonts | LK-106 |
| i-Option licence printing of Unicode fonts | LK-107 |
| i-Option licence printing of OCR (A and B) fonts | LK-108 |
| i-Option licence generates various file formats, incl. DOCX and XLSX | LK-110 |
| i-Option licence native ThinPrint client | LK-111 |
| i-Option licence trusted platform module for protection of data encryption and decryption | LK-115 |
| Wireless LAN | SX-BR-4600 |

DEVELOP

Konica Minolta Business Solutions Europe GmbH
Europaallee 17 30855 Langenhagen Germany Phone +49 511 7404-0 www.develop.eu

For more information regarding
the ineo 958 please refer to
the respective product homepage



All data relating to the paper capacities of the document feeder, the final processing accessories and the paper cassettes apply to paper weighing 80 g/m² unless expressly stated otherwise. All data relating to the speed of printing, scanning or faxing apply to paper of an A4 format weighing 80 g/m² unless expressly stated otherwise.

All data relating to paper weights apply to media that are recommended by Konica Minolta. All technical data correspond to knowledge available at the time of going to print. Konica Minolta reserves the right to make technical alterations.

DEVELOP and ineo are registered trademarks/product titles owned by Konica Minolta Business Solutions Europe GmbH.

All other brand or product names are registered trademarks or product titles of their respective manufacturers. Konica Minolta does not accept any liability or guarantee for these products.

May 2016