




Colour Manager

e-STUDIO2500c
e-STUDIO3500c
e-STUDIO3510c

- The new e-STUDIO2500c/3500c/3510c combine amazing productivity and truly stunning colour quality with the famous Toshiba ease-of-use.
- Equipped with the latest Toshiba e-BRIDGE technology, the new e-STUDIO colour systems conveniently serve all office document needs – whether you want to print, copy, scan, fax or e-mail.
- With brilliant colours, all models produce crystal clear images, text and graphics at an impressive speed of up to 35 colour pages per minute.
- A choice of on-line finishing options and support for a variety of different media (up to 256 g/m² and A3+ format) eliminates the need for costly outsourcing.
- The e-STUDIO2500c/3500c/3510c offer many high security features, including private print, the standard AES encryption or the optional data overwrite kit.

DATASHEET





e-STUDIO2500c
e-STUDIO3500c
e-STUDIO3510c



General	<p>Type Console</p> <p>Copy & Print Speed Colour: 25/35/35 ppm (A4), 15/18/18 ppm (A3) B&W: 35/35/45 ppm (A4), 18/18/24 ppm (A3) Approx. 99 seconds after power on</p> <p>Warm-up Time Approx. 30 seconds from low-power mode</p> <p>Paper Size A5R-A3 (Cassettes) A4 (Large Capacity Feeder) A6R-A3+ (305mm x 457mm) (Bypass)</p> <p>Standard Paper Capacity 2 x 550 sheets (Cassettes) 1 x 100 sheets (Bypass)</p> <p>Maximum Paper Capacity 3,700 sheets</p> <p>Paper Weight 64-163 g/m² (Cassettes) 64-105 g/m² (Large Capacity Feeder) 64-256 g/m² (Bypass)</p> <p>Duplex Standard, A5R-A3, 64-163 g/m²</p> <p>Hard Drive Standard, 80+ GB</p> <p>Memory 768 MB RAM (max. 1.5 GB)</p> <p>Access Codes 1,000 department codes, 10,000 user codes</p> <p>Dimensions (W x D x H) 699 x 761¹⁾ x 1036 mm (incl. PFP or LCF)</p>
Print	<p>Page Description Language PCL6 and PostScript 3 emulation</p> <p>Supported Client OS Windows 98/Me/NT4/2000/XP (32bit)/2003 Server (32bit), Mac OS 8.6/9.x, Mac OS X 10.1 or higher, Solaris, HP-UX, AIX, Linux, OpenUNIX, SCO, CUPS (v1.1.18), AS/400, SAP R/3</p> <p>Interface Standard: 10/100 BaseT Ethernet, USB 2.0 Optional: WLAN (IEEE 802.11b/g), Bluetooth (HCRP and BIP)</p> <p>Resolution 600 x 600 dpi, 8 bit</p> <p>Colour Settings Brightness, Saturation, Contrast, Colour Balance</p> <p>Additional Features Private print, proof print, custom paper size printing, booklet printing⁶⁾, n-up printing, user and department codes (optional B&W printing without user authentication)</p>
Copy	<p>First Copy Out Time Colour: Approx. 8.6 seconds B&W: Approx. 6.5/6.5/5.2 seconds</p> <p>Resolution Scanning: 600 x 600 dpi, 10 bit Printing: 600 x 600 dpi, 8 bit 2,400 x 600 dpi, B&W with smoothing</p> <p>Zoom 25-400%, 1% increments, several preset ratios</p> <p>Copy Modes²⁾ Text, Text/Photo, Photo, Printed Image, Map, Image Smoothing (B&W only)</p> <p>Colour Modes ACS (Automatic Colour Selection), Full Colour, Twin Colour, Mono Colour, B&W</p> <p>Colour Settings Hue, Saturation, Colour Balance, 5 "One Touch" Modes, RGB Adjustment, Twin and Mono Colour</p> <p>Multiple Copies 1-999 copies</p> <p>Additional Features Edge erase, mixed size originals, job build, proof copy, n-in-one, auto drawer change, job reservation, user and department codes (optional B&W copying without user authentication)</p>
Scan	<p>Original Scan Speed³⁾ Colour: Up to 40 pages/min. (A4 at 300 dpi) B&W: Up to 50 pages/min. (A4 at 400 dpi)</p> <p>Resolution 100, 150, 200, 300, 400 and 600⁴⁾ dpi</p> <p>Scan Mode B&W, Gray Scale, Colour/ACS</p> <p>File Formats⁵⁾ JPEG, Multi/Single Page TIFF, Multi/Single Page PDF, Slim PDF (high compression)</p> <p>Destinations Scan to File (SMB, IPX/SPX, FTP), Scan to E-Mail, Scan to e-Filing, Scan to USB Stick</p>
Fax (optional)	<p>Usable Circuits Public Switched Telephone Network (PSTN)</p> <p>Compatibility G3, Super G3</p> <p>Modem Speed Max. 33.6 kbps (automatic fallback)</p> <p>Transmission Speed Approx. 3 seconds per page</p> <p>Compression JBIG, MMR, MR, MH</p> <p>Number of Lines One, 2nd line optional</p>
e-Filing	<p>Functionality Internal document server for secure storage, document distribution and print on demand</p> <p>Number of Boxes 1 public box, 200 user boxes</p> <p>Input Methods Copy to Box, Print to Box⁶⁾, Scan to Box, Received Fax/iFax to Box</p> <p>Output Methods Box to Print, Box to E-Mail</p> <p>Network Access⁶⁾ File download, TWAIN, e-BRIDGE Viewer</p>

OPTIONS

RADF MR-3018

100 sheet capacity, A5R-A3

FINISHER MJ-1101

2 trays, 2,250 sheet capacity
50 sheet multi-position staple

FINISHER MJ-1030

2 trays, 2,000 sheet capacity
50 sheet multi-position staple
Saddle-stitched booklets of up to 60 pages

HOLE PUNCH UNIT MJ-6101(E/F/S) AND MJ-6004(E/F/S)

(option for Finisher MJ-1101 / MJ-1030)
Available in 2-holes, 4-holes and 4-holes
Swedish

PAPER FEED PEDESTAL KD-1018

1 x 550 sheet cassette, A5R-A3,
64-163 g/m²

DRAWER MODULE MY-1031

2nd cassette for KD-1018, A5R-A3,
64-163 g/m²

LARGE CAPACITY FEEDER KD-1019A4

2,500 sheet capacity, A4, 64-105 g/m²

FAX BOARD GD-1210EU

2ND LINE FAX BOARD GD-1160EU-N

Option for GD-1210EU

WIRELESS LAN MODULE GN-1041

BLUETOOTH MODULE GN-2010

DATA OVERWRITE KIT GP-1060

¹⁾ Depth can change as the display angle changes

²⁾ Availability depending on colour mode

³⁾ With optional document feeder

⁴⁾ Optional memory required for 600 dpi grayscale or colour scanning

⁵⁾ Availability depending on scan mode and memory configuration

⁶⁾ Available for Windows operating systems only

Productivity and paper specifications are related to a paper size of A4 and a paper weight of 80 g/m² if not otherwise mentioned.

TOSHIBA TEC GERMANY IMAGING SYSTEMS GMBH

CARL-SCHURZ-STRASSE 7 · D-41460 NEUSS
TEL. +49(0)2131-1245 0, FAX +49(0)2131-1245 402
WWW.TOSHIBA-EUROPE.COM/TEC

