

TOSHIBA

e-STUDIO6526AC LCF

e-STUDIO6527AC

e-STUDIO7527AC

Datasheet

- Fully customisable A3 multifunctional colour systems for impeccable document output – at a speed of up to 75 ppm in colour and 85 ppm in monochrome.
- e-BRIDGE Next as the starting point for an efficient communication and perfect document management.
- Standard Dual Scan Document Feeder for fast and reliable document processing at a speed of up to 240 ppm.
- Various security features offer perfect protection against unauthorised access to the system or personal data.



**TOGETHER
INFORMATION**

Specifications

General

Print & Copy Speed	Colour: A4: 65/65/75 ppm A3: 30/30/37 ppm Monochrome: A4: 65/75/85 ppm A3: 30/37/40 ppm
Warm-up Time	~ 15 seconds from low power mode
Paper Size & Weight	Cassettes: A5R-320 x 460 mm, 60-300 g/m ² Tandem-LCF ⁽¹⁾ : A4, 60-300 g/m ² Bypass: 100 x 148 mm-330 x 483 mm, 60-300 g/m ² Banner paper: up to 313.4 x 1,200 mm, 90-163 g/m ²
Paper Capacity	Cassettes: 4x 540 sheets or Cassettes: 2x 540 sheets + Tandem-LCF ⁽¹⁾ : 1x 2,320 sheets Bypass: 1x 120 sheets Max. 8,020 sheets
Automatic Duplex	A5R-A3, 320 x 450 mm-print only 320 x 460 mm-print only, 305 x 457 mm, 60-256 g/m ²
Controller Type	Toshiba e-BRIDGE Next
Control Panel	26 cm (10.1") Multi-Touch Colour Panel
Memory	Security SSD 128 GB ⁽²⁾ ; 6 GB ⁽²⁾ RAM
Interface	10Base-T/100Base-TX/1000Base-T, High Speed USB 2.0, WLAN (IEEE802.11a/b/g/n/ac incl. Wi-Fi direct)/Bluetooth*
Dimension & Weight	955 x 698 x 1,227 mm (W x D x H), ~ 209 kg
Starter Kit	Drums, Developers, Waste Toner Box

Print

Resolution	600 x 600 dpi, 5 bit, 1,200 x 1,200 dpi, 2 bit (equiv. 3,600 x 1,200 dpi) with PostScript driver only
Page Description Language	PCL5e, PCL5c, PCL6 (PCL XL), PDF and PostScript 3 compatible
Supported Systems	Windows 11/10, Windows Server 2022/2019/2016/ Server 2012/R2, Mac OS 10.12-13, Linux/Unix, Citrix, SAP, AS-400
Network Protocols	TCP/IP (IPv4/IPv6), Ether Talk, NetBios over TCP/IP
Colour Modes	Auto-Colour (ACS), Colour, TWIN Colour, Monochrome
Colour Settings	ICC profile colour management, RGB substitution, Brightness, Saturation, Contrast, Colour Balance
Mobile Printing	e-BRIDGE Print & Capture, Mopria® Print Service, AirPrint®
Print Functions	Universal Printer Driver, Driver Templates, Driver plug-ins*, Print from USB, Hold Print, Tandem Printing, E-Mail direct printing

Scan

Resolution	Max. 600 x 600 dpi
Scan Speed	Dual Scan Document Feeder: up to 240 ppm (300 dpi) in Colour and Monochrome
Scan Modes	Auto-Colour (ACS), Colour, Greyscale, Monochrome
File Formats	JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, Slim PDF, PDF/A-1b, PDF/A-2b, Searchable PDF (and other formats like DOCX, XLSX)
Scan Functions	WS Scan, Scan to USB, Scan to E-Mail, Scan to File (SMB, FTP, FTPS, Local), Meta Scan*, OCR scan, Scan to Box (e-Filing), WIA, TWAIN

Copy

Resolution (Output)	600 x 600 dpi, 5 bit (equiv. 2,400 x 600 dpi) with smoothing (monochrome only)
First Copy Output Time	Colour: ~ 6.4/6.4/5.4 seconds Monochrome: ~ 5.2/4.5/4.1 seconds
Zoom	Platen: 25-400%, DSDf: 25-200 %
Copy Modes	Text/Photo, Text, Photo, Printed Image, Map, Image Smoothing
Colour Modes	Auto-Colour (ACS), Full Colour, Twin Colour, Mono Colour, Monochrome
Colour Settings	Hue, Saturation, Colour Balance, RGB adjustment, 5 one-touch modes
Copy Functions	Rotate Sort, ID Card Copy, Edge Erase, 2-in-1 / 4-in-1 mode

Fax*

Communication	Super G3, G3 - (opt. 2 nd line)
Transmission Speed	~ 3 seconds per page
Compression	JBIG, MMR, MR, MH
Fax Memory	1 GB Transmission/Reception
Network-Fax	Driver for Windows 11/10, Windows Server 2022/2019/2016/Server 2012 R2/Server 2012 (64bit)
Incoming Fax Routing	SMB, FTP, E-Mail, e-Filing


System & Security

Device Management	Top Access for remote administration and configuration
System Features	e-Filing document server for secure storage, Document distribution and Print-on-Demand (1 public box, 200 user boxes), over 1,2 million one-touch templates for storage of personalised settings and workflows, Scan/Fax Preview, Rip-while-Print, e-BRIDGE Open Platform, Embedded Web Browser, Job Skip, PCL Barcode printing
Accounting & Security	Role Based Access, LDAP support, 1,000 department & 10,000 user codes, Card Reader*, Private Print, Standard data encryption with Toshiba Security SSD, Data Overwrite function when optional HDD is chosen, IP and MAC address filter, Port Filter, Support of SSL and IPsec* protocols, IEEE802.1x support, CC certified (ISO/IEC15408) with HCD-PP v1.0*, Scan to Secure PDF

Options

EXTERNAL LARGE CAPACITY FEEDER, Type A - MP-2503A	2,500-sheet capacity, A4, 60-300 g/m ²	HARD DISK DRIVE 320 GB⁽²⁾ (FIPS 140-2 STANDARD incl. Data Overwrite) - GE-1260
EXTERNAL LARGE CAPACITY FEEDER, Type B - MP-2002A	2,000-sheet capacity, A4, 60-300 g/m ² (in combination with MP-2503A)	SECURITY SOLID STATE DRIVE 512 GB⁽²⁾ - GE-1280
MULTI-STAPLE FINISHER - MJ-1115	2 trays, 3,250-sheet capacity, 65-sheet multi-position stapling, A5R-A3, 60-105 g/m ² (stapling mode)	FAX BOARD - GD-1370EU
SADDLE-STITCH FINISHER - MJ-1116	2 trays, 3,250-sheet capacity, Saddle-stitched booklets of up to 60 pages, 65-sheet multi-position stapling, A5R-A3, 60-105 g/m ² (stapling mode)	USB HUB - GR-1420
HOLE PUNCH UNIT - MJ-6108E/ MJ-6108F/ MJ-6108S	Available in 2 holes (E), 4 holes (F), 4 holes (S) for Multi-Staple Finisher MJ-1115 and MJ-1116	ACCESSORY TRAY - GR-1330
		PANEL TEN-KEY - GR-1340
		WIRELESS LAN/BLUETOOTH MODULE (incl. WiFi Direct) - GN-4030-A3
		e-BRIDGE ID-GATE
		ACCESSIBLE ARM - KK-2560
		CONNECTOR FOR EXTERNAL LARGE CAPACITY FEEDER(LCF) - KN-9000
		IPsec ENABLER (LICENCE) - GP-1080 Node
		MULTI STATION PRINT ENABLER (LICENCE) - GS-1090 Node
		META SCAN ENABLER (LICENCE) - GS-1010 Node
		UNICODE FONT ENABLER (LICENCE) - GS-1007 Node
		HARD COPY SECURITY KIT (LICENCE) - GP-1190 Node

Configuration



¹⁾ e-STUDIO6526AC LCF version only
²⁾ 1 GB = 1 billion bytes; the actual formatted capacity is less. Available capacity will also be less if software applications are pre-installed.
 * Optional

Note:
 The e-STUDIO6526AC LCF is available with two 540-sheet cassettes and one 2,320-sheet Tandem LCF.



About Toshiba Tec

Toshiba Tec Germany Imaging Systems GmbH is part of the globally operating Toshiba Tec Corporation, active in various high-tech industrial sectors.

Toshiba Tec Corporation is a leading provider of information technology, operating across multiple industries - ranging from retail, education and business services to hospitality and manufacturing. With headquarters in Japan and over 70 subsidiaries worldwide, Toshiba Tec Corporation helps organisations transform the way they create, record, share, manage and display information.

For more information please contact us:

Toshiba Tec Germany Imaging Systems GmbH

Carl-Schurz-Str. 7
41460 Neuss
Germany

Telephone

+49 2131-1245-0

Fax

+49 2131-1245-402

Website

www.toshibatec.eu

Together Information is Toshiba's vision for how people and organisations create, record, share, manage and display ideas and data.

It is based on our belief that the most successful organisations are those that communicate information in the most efficient way.

We make that possible through an integrated portfolio of industry-specific solutions, all of which reflect Toshiba's commitment to the future of the planet.

