

R





TRIUMPH BOARD is a manufacturer of interactive presentation solutions and audio-visual equipment, selling to the Educational and Business sectors worldwide.

The TRIUMPH BOARD product offering includes interactive flat panels, interactive whiteboards, interactive projectors, videoconferencing systems, document cameras, and other related products, and a wide range of supporting software.

TRIUMPH BOARD can deliver unbeatable interactive solutions, with best-in-class software on best-in-class hardware, thanks to its global partnerships with leading technology suppliers and the most advanced factories in the world.

The strategy of combining ISO certified intelligent design and efficient manufacturing in Asia and Europe enables TRIUMPH BOARD to deliver unbeatable solutions with high "European" quality at affordable prices. No message is complete without a powerful presentation. TRIUMPH BOARD has built its business on being "One Idea Ahead" in interactive solutions that meet the evolving needs of users and enable the presenter to perform at the next level! TRIUMPH BOARD products are created to enhance presentation effectiveness in an educational or corporate environment.

TRIUMPH BOARD has established country partners that enable us to promote, educate and install our product line in local markets with country language support.

About us

We are proud of our successes and look forward to surpassing your expectations in the future!



Abc

Interactive Flat Panels

We have developed a fully integrated, professional solution – TRIUMPH BOARD Interactive Flat Panels are an effective presentation tool for training or giving presentations interactively in any type of classroom. The latest IR LED optical technology with up to 32 touch inputs provides the ideal multi-touch experience. The optional built-in OPS PC with incorporated Intel Core Processors and Microsoft Windows 10 Pro (OEM) with a selection of language options and pre-installed applications, delivers top-of-the-line performance. A wide range of accessories such as LiftBoxes or mobile stands makes the solution a zero-compromise!

Interactive

Whiteboards

TRIUMPH BOARD offers uniquely cost-effective interactive whiteboard solutions. With the TRIUMPH BOARD interactive whiteboard you will be able to learn and teach in any classroom setting. TRIUMPH BOARD 10-touch input with IR cell LED Optical technology enables simultaneous collaboration between students using the wide range of included applications.

Interactive

Presentation Products

TRIUMPH BOARD provides a range of audio-visual presentation products to suit all types of applications from interactive ultra short throw and short throw projectors, document cameras, to videoconferencing systems.







© TRIUMPH BOARD 2018




55" 65" 75" 86" 98"

INTERACTIVE FLAT PANELS



TRIUMPH BOARD INTERACTIVE FLAT PANELS are fully integrated, professional, multi-touch UHD displays with amazing performance and stunning visuals. TRIUMPH BOARD INTERACTIVE FLAT PANELS are effective presentation tool for showing lessons or presentations interactively in any classroom.





No need for a projector! Easy installation! No limitations due to light conditions! Elegant and stylish appearance.







- Fully compatible with TRIUMPH BOARD INTERACTIVE FLAT PANELS
- Fully integrated solution in a slim design
- Ideal product with sufficient power for pre-installed SW bundle and collaboration

OPS PC (optional) for INTERACTIVE FLAT PANELS

TRIUMPH BOARD OPS PCs for IFP are powerful, fully integrated personal computers for TRIUMPH BOARD Interactive Flat Panels with the Android system.

TRIUMPH BOARD OPS PCs for IFP are equipped with 6th generation Intel Core Processors, Intel Integrated Graphics and 8 GB RAM DDR4, which gives high power for running applications. The up to 256 GB SSD disk provides high speed and sufficient capacity for saving and storing the user's data.

TRIUMPH BOARD OPS PCs for IFP includes a license of Microsoft Windows 10 Pro (OEM) with selection of language options and preinstalled applications.

| EAN: | 8592580113758 |
|-------------------|---|
| Processor: | i3 - Intel Core i3-6100TE Skylake 4M Cache 2.7GHz |
| Graphics: | Intel Integrated Graphics |
| Sound Card: | Integrated High Definition Audio Stereo |
| Networking: | Integrated 10 / 100 / 1000 M Adaption |
| Memory: | 8GB DDR4 2133Mhz |
| Hard Drive: | 128 GB SSD Disk |
| WIFI: | IEEE 802.11 ac (2.4G/5G), Bluetooth 4.0 |
| USB: | 1x USB 2.0 and 2x USB 3.0 |
| Audio: | Side Headphone and Mic Ports |
| Lan Port (RJ45): | 1 |
| VGA Out: | 1 |
| HDMI Out: | 1 (up to 4K2K resolution) |
| Operation System: | Microsoft Windows 10 Professional (OEM) |
| | 64-bit MultiLang |

8592580113307

i7 - Intel Core i7- 6700 TE Skylake 4M Cache 2.4GHz Intel Integrated Graphics Integrated High Definition Audio Stereo Integrated 10 / 100 / 1000 M Adaption 8GB DDR4 2133Mhz 256 GB SSD Disk IEEE 802.11 ac (2.4G/5G), Bluetooth 4.0 1x USB 2.0 and 2x USB 3.0 Side Headphone and Mic Ports 1 (up to 4K2K resolution) Microsoft Windows 10 Professional (OEM) 64-bit MultiLang









© TRIUMPH BOARD 2018




LiftBoxes LiftBox for IFP



The TRIUMPH BOARD LiftBox for IFP is the perfect and easy solution to move the IFP up and down, without electric power.

The partially overlapping weight range gives the installer the choice between a travel of 40 and 65 cm / 16 and 25 inches. All LiftBox models offer a wide range of accessories and come in a compact and stylish white design that is hidden behind the screen.





Mobile Stand for LiftBox



Tilt Frame for LiftBox for 55" IFP

Tilt Frame for the TRIUMPH BOARD LiftBox for 55" IFP allows you to tilt out the 55" IFP by 60 degrees.

Tilt Frame is a perfect and easy solution that helps you to interface with the screen as well as collaborate with colleagues together on one screen.

Tilt Frame is an optional accessory to the TRIUMPH BOARD LiftBox for 55" IFP.



The TRIUMPH BOARD Mobile Stand for LiftBox has an assembly hitch for easily adding of IFP.

The Stand also comes with wheels for easy movement, which can be easily blocked to prevent any unwanted movement of the Stand.

The TRIUMPH BOARD Mobile Stand for the LiftBox is designed to provide a high level of convenience as well as smooth attachment of IFP throughout its lifespan.



- Quality product, safe to use
- Compact design product disappears behind the screen
- Long product lifetime
- Fast and easy installation; maintenance-free
- Low transport and installation cost





Stands with Electric Lift for IFP

TRIUMPH BOARD Mobile Stand with Electric Lift for IFP and TRIUMPH BOARD Electric Lift System for IFP have an assembly hitch corresponding to the VESA standard for easily adding IFP.

Stands also come with wheels for easy movement, which, can be easily blocked to stop the Stand moving.

Stands with Electric Lift provide comfort and convenience, with easy attachment of the IFP, and quiet and smooth operation, enabling perfect positioning in any situation.



Mobile Stand with Electric Lift for IFP

Electric Lift 660 mm

Features

- Anti collision features
- Hard-wearing components
- Simple assembly, quiet operations and easy handling
- Storage box behind the screen
- Elegant modern design



A6C

Electric Lift System for IFP

Electric Lift 870 mm




Software TRIUMPH CLOUD Online Annotation



TRIUMPH CLOUD is unique online annotation software that runs on all interactive flat panels, interactive whiteboards, interactive projectors, tablets and other systems using the latest web technologies. TRIUMPH CLOUD can always be used anywhere and with any hardware and operating system (Windows, MAC OS, iOS, Android, Linux, Chrome OS).

- Online with automatic free updates and no installation
- Hardware & Platform Independent
- LAN & Wi-Fi Collaboration (Windows/iOS/Android/Linux/Chrome OS)
- Multi-touch (Windows)
- Cloud data storage myfiles
- Import SMART Notebook files & Promethean iwb files
- MyScript Handwriting Recognition (TEXT, SHAPE, MATH)
- G Suite for Education integration (user importing and sharing to Google Classroom)
- MS Office 365 integration
 (with Azure Active Directory Premium and Office 365 account)
- 25 Languages


www.triumphcloud.com





| Image: Strate | | | FILE | UNDERLINE | STRIKETHROUGH | FREEHAND DRAWING | LINE | RECTANGLE | ELUPSE | PASTE | |
|---|--|-------|--------------------|------------|---------------|---------------------|----------|------------------|---------|---------|--------|
| Welcome to MobiSystems® OfficeSuite OfficeSuite is a complete mobile office solution, allowing you to create, view and edit Microsoft® Wood, Excel and PowerPoint files away from your office and save them in advanced editing features you can modify documents on-the go and save them in their original format - DOC, DOCK, DOCK, NTF, DOT, TXT, XLSX, XLM, DOS, CSV, PPT, PTX, PPS, PSS, VPM, PTMA and DOP', just ready to be used back on your desktop computer. You are also able to open PDF, EML, LOG, and ZDP files and attachments. SUPPORTED FORMATS OfficeStrip Document Follow: | | G | ottina | Sta | rtor | | | | | | |
| OfficeSuite is a complete mobile office solution, allowing you to creater, view and edit Microsoft® Word, Excel and PowerPoint files away from your offices With the advancedediting fasta doe, poec, poech, yoe, one is the your office of the solution allower Point files away from your offices with the advancedediting fasta doe, poech, poech, goot, the you and save block on your deskipp computer. You are also able to open PDF, EML, LOG, and ZIP files and attachments. SUPPORTED FORMATS OfficeSuite bocument Editor: | | | - | | | • | | | | | |
| advanced editing features you can modify documents on the go and save them in their original format. Too, DOCX, DOCX, MDCR, MET, ODT, TXT, NLS, XLS, XL, ND, SLO, SOS, PPT, PPTX, PPS, PPSX, PPTM, PPSM and ODP - just ready to be used back on your desktop computer. You are also able to open PDF, EML, LOG, and ZIP files and attachments. SUPPORTED FORMATS OfficeSite Document Editor: | A CONTRACTOR OF A CONTRACTOR O | Offic | eSuite is a comple | te mobile | office soluti | | | | | nd edit | |
| PPT, PPTX, PPS, PPSX, PPTM, PPSM and ODP - just ready to be used back on your desktop computer. You are also able to open PDF, EML, LOG, and ZIP files and attachments. SUPPORTED FORMATS Office State Document Editor: | 2 | adva | nced editing featu | res you ca | n modify do | cuments o | n-the-g | o and sa | ve them | | |
| attachments. SUPPORTED FORMATS Office Tellure | | PPT | PPTX, PPS, PPS) | PPTM, P | PSM and OE | P - just re | ady to b | be used b | ack on | your | |
| SUPPORTED FORMATS OfficeSuite Document Editor: | | | | are also a | able to open | PDF, EML | , 200, a | ng 21P 11 | es and | | |
| OfficeSuite Document Editor: 62.% ~ | - | | | | | | | | | | |
| | | Offic | eSuite Document | Editor: | | | | | | | 62 % 🛩 |

| | COPY POINTED | R TERT CELLS | % AUTO SUM | |
|-------------------------------------|------------------------|--------------|---------------|----|
| | | | | |
| C D E F G H I | J K | LN | 0 | 0 |
| [TITLE OF MONTHLY BUDGET] [Date] | Summary | | | |
| | | | | |
| 54,000 | TOTAL MONTHLY INCOME | \$3,750 | | |
| E3.000 | TOTAL MONTHLY EXPENSES | \$2,136 | | |
| | TOTIAL MONTHLY SAVINGS | \$650 | | |
| 1000 PACES SAVINGS | LASH BALANCE | \$964 | 1 | |
| NONTHLY BUDGET SHEET1 + | | | _ | -• |
| ANNIAL BULUEI SPICEII + | | | | |



OfficeSuite All-in-One Office Application

OfficeSuite takes your productivity to the next level, delivering essential functionality that allows you to easily create and edit any office document on your IFP unit.

- Supports office documents, spreadsheets and presentations of any file type, as well as PDF files
- Easily annotate over PDF, Word and PowerPoint files
- Track changes with multiple authors
- Digitally sign any PDF files
- Sleek and easy to use interface enhances your experience
- Spell check

Share, annotate, collaborate, digitally sign and do much more with All-in-One complete application.






EShare Content sharing

The EShare application enables you to transform the way you share content. You can browse and share files, videos and photos quickly and easily. You can collaborate or mirror your screen flawlessly in real time.

- Wirelessly stream any media file and document from your device
- Stream music, photos, and video wirelessly
- Mirror the screen of your device
- EShare lets you stream any file from your smartphone
- EShare Server is available for Windows, Android and Mac OS*
- EShare Client works on almost any device and across all the major platforms (Windows, Android, iOS and Mac OS)

*Available with TRIUMPH BOARD IFP UHD models.







Specifications

| | IFP 55" | | IFP 65" | | IFP 75" | | |
|----------------------------|---|----------------------------|---|---------------------------------|--|----------------------|--|
| EAN: | 8592580114038 | | 8592580114045 | | 8592580114052 | | |
| Display | | | | | | | |
| Screen Type: | Open Cell DLED Backlight | | Open Cell DLED Backlight | | Open Cell DLED Backlight | | |
| Aspect Ratio: | 16:9 | | 16:9 | | 16:9 | | |
| Resolution: | UHD (3840 × 2160) | | UHD (3840 × 2160) | | UHD (3840 × 2160) | | |
| Display Area: | | 8.8" x 27.9" (HxV) | 1444,1 x 819,8 mm | 56.9" x 32.3" (HxV) | 1649,66 x 927,94 mm | 65" x 36.5" (HxV) | |
| Display Colors: | 1.07 B (10 - bit) | 0.0 X 27.3 (11XV) | 1.07 B (10 - bit) | 30.9 X 32.3 (IIXV) | 1.07 B (10 - bit) | 05 x 50.5 (11xV) | |
| Diagonal size: | 55" | | 65" | | 75" | | |
| Brightness: | 350 cd/m2 | | 450 cd/m2 | | 450 cd/m2 | | |
| Contrast: | 1200 : 1 | | 1200 : 1 | | 1200 : 1 | | |
| Response Time: | 6 ms | | 6 ms | | 6 ms | | |
| Refreshing Frequency: | 60 Hz | | 60 Hz | | 60 Hz | | |
| View Angle: | 178°/178° (H/V) | | 178°/178° (H/V) | | 178°/178° (H/V) | | |
| Life Time: | 50.000 hrs | | 50.000 hrs | | 50.000 hrs | | |
| Mount System: | VESA 400 x 400 (Optional) | | VESA 400 x 400 (Optional) | | VESA 600 x 400 (Optional) | | |
| Outline Dimension: | | 0.87" x 30.83" x 4.02" | 1510,5 x 906 x 106 mm 59.46" x 35.7" x 4.17" | | 1736,8 x 1035,3x 108 mm | 68.4" x 40.7" x 4.3" | |
| Package Dimension: | | 0.24" x 38.39" x 10.24" | 1765 x 1165 x 320 mm | 69.49" x 45.9" x 12.6" | 1990 x 1165 x 320 mm | 78.3" x 45.9" x 12.6 | |
| Net/Gross weight: | | 7.3 / 120.6 lb | 49,9 / 68,5 kg | 109.9 / 151 lb | 61,2 / 87,7 kg | 134.8 / 193.3 lb | |
| | 39,07 34,7 kg 0 | 7.3 / 120.0 lb | 49,97 08,5 kg | 109.9715116 | 01,2 / 87,7 Kg | 134.0 / 195.3 (0 | |
| Touch System | | | | | | | |
| Touch Input: | 32 Touch Input | | 32 Touch Input | | 32 Touch Input | | |
| Sensing Type: | Infrared Transmission (multi-touch) | | Infrared Transmission (multi-tou | uch) | Infrared Transmission (multi-touch) | | |
| Response Time: | < 10 ms (typ) | | < 15 ms (typ) | | < 10 ms (typ) | | |
| Output Coordinates: | 32768 × 32768 | | 32768 × 32768 | | 32768 × 32768 | | |
| Communication Mode: | HDMI 2.0 and Full-speed USB | | HDMI 2.0 and Full-speed USB | | HDMI 2.0 and Full-speed USB | | |
| Writing Screen: | Mohs hardness of 7 | | Mohs hardness of 7 | | Mohs hardness of 7 | | |
| Compatibility: | Windows, Mac, Linux, Android, Chrome | | Windows, Mac, Linux, Android, | Chrome | Windows, Mac, Linux, Android | l, Chrome | |
| PC System: | OPS PC (Optional) | | OPS PC (Optional) | | OPS PC (Optional) | | |
| Ambient Conditions | | | | | | | |
| Operation Temperature: | 0°- 40°C | | 0°- 40°C | | 0°- 40°C | | |
| Operation Humidity: | 20 - 80% RH | | 20 - 80% RH | | 20 - 80% RH | | |
| Storage Temperature: | -10°- 60°C | | -10°- 60°C | | -10° - 60°C | | |
| Storage Humidity: | 10 - 60% RH | | -10 - 60 C 10 - 60% RH | | 10 - 60% RH | | |
| Storage Humility. | 10 - 00% KH | | 10 - 00% КП | | 10 - 00% КП | | |
| Sound System: | | | | | | | |
| Power Amplify: | 2 x 20 W | | 2 x 20 W | | 2 x 20 W | | |
| Number of Sound Box: | 2 | | 2 | | 2 | | |
| Sound: | Surround | | Surround | | Surround | | |
| Power | | | | | | | |
| Power Requirements: | 100~240 V AC 50/60 Hz | | 100~240 V AC 50/60 Hz | | 100~240 V AC 50/60 Hz | | |
| Overall Power Consumption: | < 170 W | | < 200 W | | < 320 W | | |
| Standby Power Consumption: | ≤ 0.5 W | | ≤ 0.5 W | | < 0.5 W | | |
| Android Puilt In | | | | | | | |
| Android Built-In | 5.0 | | 5.0 | | 5.0 | | |
| Version: CPU: | | | | | ARM Cortex A53 | | |
| GPU: | ARM Cortex A53 | | ARM Cortex A53 | | | | |
| | Mali-450 2GB DDR3 / 16GB | | Mali-450 | | Mali-450 2GB DDR3 / 16GB | | |
| RAM/ROM: | ZGB DDK3 / IPGR | | 2GB DDR3 / 16GB | | SCR DDK2 / TOCR | | |
| Inputs and Outputs | HDMI-IN 5x, HDMI-OUT 1x, VGA 1x, PC AUDIO Y PB PR 1x, LAN 1x, AV 1x, AV OUT 1x, EARPHON SPDIF 1x, USB 2.0 2x, USB 3.0 2x, PC USB 2x, TOUCH USB 5x, AUDIO 1x, MIC 1x, RS232 IN/OL | | HDMI-IN 5x, HDMI-OUT 1x, VGA 1x, P Y PB PR 1x, LAN 1x, AV 1x, AV OUT 1x, SPDIF 1x, USB 2.0 2x, USB 3.0 2x, PC 1 TOUCH USB 5x, AUDIO 1x, MIC 1x, RS | JSB 2x, | HDMI-IN 4x, HDMI-OUT 1x, VGA 1x Y PB PR 1x, LAN 1x, AV 1x, AV 0UT 1 SPDIF 1x, USB 2.0 2x, USB 3.0 2x, P TOUCH USB 4x, AUDIO 1x, MIC 1x, | C USB 2x, | |
| Accessories | 1x HDMI Cable, 1x AC Power Cable, 1x V | /GA Cable, 1x USB Cable, 1 | x Audio Cable, 2x Stylus, 1x Remote | Control, 1x Wall Mount Bracket, | Quick Start Guide, Manual | | |

1x HDMI Cable, 1x AC Power Cable, 1x VGA Cable, 1x USB Cable, 1x Audio Cable, 2x Stylus, 1x Remote Control, 1x Wall Mount Bracket, Quick Start Guide, Manual

| | IFP 86" | | IFP 98" | | | | |
|---------------------------------------|---|--------------------------------|---|---|--|--|--|
| EAN: | 8592580114069 | | 8592580114076 | | | | |
| Pirotes . | | | | | | | |
| Display | | | | | | | |
| Screen Type: | Open Cell DLED Backlight | | Open Cell DLED Backlight | | | | |
| Aspect Ratio: | 16:9 | | 16:9 | | | | |
| Resolution: | UHD (3840 × 2160) | | UHD (3840 × 2160) | | | | |
| Display Area: | 1895,04 x 1065,96 mm | 74.6" x 42" (HxV) | 2158,84 x 1214,35 mm | 85" x 47.8" (HxV) | | | |
| Display Colors: | 1.07 B (10 - bit) | | 1.07 B (10 - bit) | | | | |
| Diagonal size: | 86″ | | 98* | | | | |
| Brightness: | 400 cd/m2 | | 500 cd/m2 | | | | |
| Contrast: | 1200 : 1 | | 1300 : 1 | | | | |
| Response Time: | 6 ms | | 5 ms | | | | |
| Refreshing Frequency: | 60 Hz | | 120 Hz | | | | |
| /iew Angle: | 178°/178° (H/V) | | 178°/178° (H/V) | | | | |
| life Time: | 50.000 hrs | | 50.000 hrs | | | | |
| Mount System: | 700 x 400 (Optional) | | VESA 800 x 600 (Optional) | | | | |
| Outline Dimension: | 1990 x 1181 x 114.5 mm | 78.3" x 46.5" x 4.5" | 2234 x 1310 x 116.4 mm | 88" x 52" x 4.5" | | | |
| Package Dimension: | 2200 x 1490 x 360 mm | 86.6" x 58.6" x 14.2" | 2525 x 1750 x 435 mm | 99.4" x 68.9" x 17.1" | | | |
| Net/Gross weight: | 93,3 / 121 kg | 205.6 / 266.8 lb | 135 / 188 kg | 298 / 414.5 lb | | | |
| | 56,67 121 kg | 200.07 200.0 10 | 100 / 100 kg | | | | |
| Fouch System | | | | | | | |
| Touch Input: | 32 Touch Input | | 10 Touch Input | | | | |
| Sensing Type: | Infrared Transmission (multi-tou | - ele) | Infrared Transmission (multi-touch) | | | | |
| | | icri) | < 15 ms (typ) | | | | |
| Response Time: Dutput Coordinates: | < 11 ms (typ) 32768 × 32768 | | < 15 ms (typ) 32768 × 32768 | | | | |
| | | | | | | | |
| Communication Mode: | HDMI 2.0 and Full-speed USB | | HDMI 2.0 and Full-speed USB | | | | |
| Writing Screen: | Mohs hardness of 7 | | Mohs hardness of 7 | | | | |
| Compatibility: | Windows, Mac, Linux, Android, | Chrome | Windows, Mac, Linux, Android, (| Chrome | | | |
| PC System: | OPS PC (Optional) | | OPS PC (Optional) | | | | |
| Ambient Conditions | | | | | | | |
| Operation Temperature: | 0°- 40°C | | 0°- 40°C | | | | |
| Operation Humidity: | 20 - 80% RH | | 20 - 80% RH | | | | |
| Storage Temperature: | -10° - 60°C | | -10° - 60°C | | | | |
| Storage Humidity: | 10 - 60% RH | | 10 - 60% RH | | | | |
| | 10 00/01/11 | | 10 0000101 | | | | |
| Sound System: Power Amplify: | 2 x 20 W | | 2 x 20 W | | | | |
| Number of Sound Box: | 2 20 W | | 2 | | | | |
| Sound: | Surround | | Surround | | | | |
| sound. | Surround | | Surrouna | | | | |
| Power | | | | | | | |
| Power Requirements: | 100~240 V AC 50/60 Hz | | 100~240 V AC 50/60 Hz | | | | |
| Overall Power Consumption: | < 500 W | | < 500 W | | | | |
| Standby Power Consumption: | < 0.5 W | | < 0.5 W | | | | |
| Android Built-In | | | | | | | |
| Version: | 5.0 | | 5.0 | | | | |
| CPU: | ARM Cortex A53 | | ARM Cortex A53 | | | | |
| GPU: | Mali-450 | | Mali-450 | | | | |
| RAM/ROM: | 2GB DDR3 / 16GB | | 2GB DDR3 / 16 GB | | | | |
| | | | | | | | |
| Inputs and Outputs | HDMI-IN 5x, HDMI-OUT 1x, VGA 1x, P Y PB PR 1x, LAN 1x, AV 1x, AV OUT 1x, SPDIF 1x, USB 2.0 2x, USB 3.0 2x, PC 1 TOUCH USB 5x, AUDIO 1x, MIC 1x, RS | EARPHONE 1x, ISB 2x | HDMI-IN 5x, HDMI-OUT 1x, VGA 1x, P Y PB PR 1x, LAN 1x, AV 1x, AV OUT 1x, SPDIF 1x, USB 2.0 2x, USB 3.0 2x, PC L TOUCH USB 5x, AUDIO 1x, MIC 1x, RS | EARPHONE 2x, JSB 2x | | | |
| Accessories | 1x HDMI Cable 1x AC Bower Ca | blo 1x VCA Cablo 1x LISB Cable | 1x Audio Cablo 2x Stylus 1x Pomoto | Control, 1x Wall Mount Bracket, Quick Start Guide, Manual (for IFP 86" 1x VESA Interface) | | | |

| | | | | (et] |
|-----------------------|----------------------|-------------|--------------------|----------|
| Contact: | | | 3+1 | |
| info@triumphboard.com | www.triumphboard.com | www.youtube | e.com/triumphboard | |
| | | | | |
| | R | °°° | | \wedge |

© TRIUMPH BOARD 2018